



GIBECK HUMID-VENT®

Heat & Moisture Exchangers



AT A GLANCE

- high humidification performance combined with low resistance to flow
- · small and lightweight
- for lower tidal volumes
- broad variety of HMEs
- small and paediatric versions
- latex- & PVC-free
- · non-DEHP
- sterile (Micro) / sterile or clean (Mini, Humid Vent 1)
- · single use
- · individually packed

A WIDE RANGE OF PERFOR-MANCE CAPABILITIES FOR ANAESTHESIA, THE ICU AND EMERGENCY CARE

Teleflex's GIBECK brand HMEs feature a specific hygroscopic, bacteriostatic microwell paper that combines high humidification performance with very low resistance to flow.

A large variety of different products means the patient can be provided with the size, tidal volume and level

of humidification that is best suited to him. The Humid-Vent HME range comprises a standard (Humid Vent 1), a Mini and a Micro version.

HUMID-VENT® 1

The original Humid-Vent® 1 has been used in hospitals worldwide for over 25 years. The Humid-Vent® 1 is straight and available with or without a $\rm CO_2$ port. Its use is recommended for adults and children receiving anaesthesia, as well as for children in the ICU.

HUMID-VENT® MINI

Designed for neonates and babies, the Humid-Vent® Mini has a dead space of only 2.4 ml and can be used when tidal volumes of 15-50 ml are required.

HUMID-VENT® MICRO+

The unique Humid-Vent® Micro+ has been especially designed for neonates. It replaces the ET-tube connector for sizes 3.0 mm and 3.5 mm. The combination of HME and tube connector reduces the dead space to only 2.7 ml. The port allows easy access for suctioning, instillation of surfactants and CO₂ sampling.



Product information

HUMID-VENT H		Gibeck		
	HUMID-VENT® 1		HUMID-VENT® MINI	
	Humid-Vent'I V ₁ 50-500 m	Hamid Year's Port V ₁ 23-260 m ² CO ₂ port	Humid-Vent* Mini V _T 15-50 ml	
REF.	11111 (sterile) 11112 (clean)	11132 (clean)	10011 (sterile) 10012 (clean)	
DEAD SPACE	10 ml	14 ml	2.4 ml	
WEIGHT	9.4 g	11.6 g	4.5 g	
CONNECTORS	22 M / 15 F - 15M CO ₂ connectors ISO 594-1/594-2		22 M / 15 F - 15M	
MEDIUM	hygroscopic and bacteriostatic microwell paper		hygroscopic and bacteriostatic microwell paper	
TIDAL VOLUME	50 - 600 ml		15 - 50 ml	
RESISTANCE TO FLOW	at 20 I/min., 0.3 cm H ₂ 0 at 40 I/min., 0.7 cm H ₂ 0		at 5 I/min., 0.6 cm H ₂ O	
MOISTURE OUTPUT	29 mg $\rm H_2O/I$ at $\rm V_T$ 300 ml 24 mg $\rm H_2O/I$ at $\rm V_T$ 600 ml		30 mg $\rm H_2O/I$ at $\rm V_T$ 20 ml	
QTY (BOX/CASE)	500/50	250 /25	300/30	

HUMID-VENT® MICRO+					
	Humid- Vent* Micro+	Humid-Vent* Micro+			
REF.	10131 (sterile)	10121 (sterile)			
DEAD SPACE	2.7 ml				
WEIGHT	4.3 g				
CONNECTORS	3.5/15 mm (red) 3.0/15 mm (blue)				
MEDIUM	hygroscopic and bacteriostatic microwell paper				
TIDAL VOLUME	10 - 50 ml				
RESISTANCE TO FLOW	3.5 mm: at 5 l/min, 1.1 cm $\rm H_2O$ 3.0 mm: at 5 l/min, 1.8 cm $\rm H_2O$				
MOISTURE OUTPUT	32.5 mg $\rm H_2O/I$ at $\rm V_T$ 10 ml 32.0 mg $\rm H_2O/I$ at $\rm V_T$ 20 ml				
QTY (BOX/CASE)	100 / 10				

