## Drug Facts Active ingredient (in each 30 mL delivered dose) Purpose Bisacodyl 10 mg ... .Stimulant laxative/ howel cleanser Use for relief of occasional constination or bowel cleansing before rectal examinations. This product usually produces a howel movement in 5 to 20 minutes Warnings For rectal use only Do not use when abdominal pain, nausea, or vomiting are present unless directed by a doctor Ask a doctor before using this product if you ■ have a sudden change in bowel habits lasting more than 2 weeks ■ already used a laxative for more than 1 week This product may cause abdominal discomfort, faintness, rectal burning and mild cramps Stop use and ask a doctor if you have ■ rectal bleeding no bowel movement within 20 minutes of using this product These symptoms may indicate a serious condition. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Single Daily Dosage (per 24 hours) adults and children | 1 bottle 12 years and over per day children under DO NOT USE 12 years Other information store at temperatures not above 86° F (30° C) for complete Professional Use. Warnings and Precautions consult the Reference Safety Information on our website Tamper Evident: bottle sealed for

Tamper Evident: bottle sealed for safety. If bottle wrapper with Fleet® emblem is torn, damaged or missing do not use.



Complete enema in a disposable squeeze bottle with soft, pre-lubricated Comfortip\*



Fleet® Enemas are LATEX-FREE.

Mfd. by C.B. Fleet Company, Inc. Lynchburg, VA 24502 USA FLUS007101

© 2018 Trade dress is owned by C.B. Fleet Company, Inc. All rights reserved. U.S. Pat. 8845577. C.B. Fleet Company, Inc.

Lynchburg, VA 24502 USA

How to use this enema:



- Shake bottle well before removing protective shield.
- REMOVE GREEN WRAPPER WITH FLEET® EMBLEM AND ORANGE PROTECTIVE SHIELD FROM ENEMA COMFORTIP® BEFORE INSERTING.
- With steady pressure, gently insert enema tip into rectum with a slight side-to-side movement, with tip pointing toward navel. Insertion may be easier if person receiving enema bears down, as if having a bowel movement. This helps relax the muscles around the anus.
- DO NOT FORCE THE ENEMA TIP INTO RECTUM AS THIS CAN CAUSE INJURY
- Squeeze bottle until nearly all liquid is gone. It is not necessary to empty the bottle completely, as it contains more liquid than needed.
   Remove Comfortip® from rectum and maintain position until urge to evacuate is strong (usually 5 to
- 20 minutes).

  If constipation continues after one week of use, contact your doctor.

Positions for using this enema:



Left-side position: Lie on left side with knee bent, and arms resting comfortably

Knee-chest position: Kneel, then lower head and chest forward until left side of face is resting on surface with left arm folded comfortably

\*Based on laboratory data