

QUICK
REFERENCE
GUIDE

A LEGACY OF **TRUSTED PARTNERSHIP.**

Shiley™ Tracheostomy Products



Medtronic
Further. Together

SHILEY™ FLEXIBLE TRACHEOSTOMY TUBES, CUFFED AND CUFFLESS, WITH DISPOSABLE INNER CANNULA



- 1A. Shiley™ Flexible tracheostomy tube with TaperGuard™ cuff provides a flexible design with the sealing benefits associated with the TaperGuard™ cuff. Integrated 15 mm connector enables ventilation with or without disposable inner cannula in place. Tracheostomy tube and packaging are color-coded by size.
- 1B. Shiley™ Flexible tracheostomy tube (cuffless) provides a flexible design. Available in a wide range of sizes. 15 mm connector enables ventilation with or without disposable inner cannula in place.
- 1C. Disposable inner cannula. Single use.
- 1D. Obturator is designed with a small hole at the distal tip to accept a guidewire.

SHILEY™ FLEXIBLE ADULT TRACHEOSTOMY TUBE WITH TAPERGUARD™ CUFF, WITH DISPOSABLE INNER CANNULA

SKU#	I.D.	O.D.	INNER CANNULA I.D.	LENGTH	INNER CANNULA SKU#
4CN65H	6.5 mm	9.4 mm	5.5 mm	62 mm	4IC65
5CN70H	7.0 mm	10.1 mm	6.0 mm	68 mm	5IC70
6CN75H	7.5 mm	10.8 mm	6.5 mm	74 mm	6IC75
7CN80H	8.0 mm	11.4 mm	7.0 mm	77 mm	7IC80
8CN85H	8.5 mm	12.2 mm	7.5 mm	79 mm	8IC85
9CN90H	9.0 mm	12.7 mm	8.0 mm	79 mm	9IC90
10CN10H	10.0 mm	13.8 mm	9.0 mm	79 mm	10IC10


SHILEY™ FLEXIBLE ADULT TRACHEOSTOMY TUBE, CUFFLESS, WITH DISPOSABLE INNER CANNULA

SKU#	I.D.	O.D.	INNER CANNULA I.D.	LENGTH	INNER CANNULA SKU#
4UN65H	6.5 mm	9.4 mm	5.5 mm	62 mm	4IC65
5UN70H	7.0 mm	10.1 mm	6.0 mm	68 mm	5IC70
6UN75H	7.5 mm	10.8 mm	6.5 mm	74 mm	6IC75
7UN80H	8.0 mm	11.4 mm	7.0 mm	77 mm	7IC80
8UN85H	8.5 mm	12.2 mm	7.5 mm	79 mm	8IC85
9UN90H	9.0 mm	12.7 mm	8.0 mm	79 mm	9IC90
10UN10H	10.0 mm	13.8 mm	9.0 mm	79 mm	10IC10

SHILEY™ FLEXIBLE ADULT TRACHEOSTOMY TUBES WITH REUSABLE INNER CANNULA CUFF

SIZE		SKU#		SPECIFICATIONS				
Jackson	ISO	Cuffed	Cuffless	Outer Cannula Inner Diameter (mm I.D.)	Inner Cannula Inner Diameter (mm I.D.)	Outer Cannula Outer Diameter (mm O.D.)	Length (mm)	Cuff Resting Diameter (mm)
4	6.5	4CN65R	4UN65R	6.5	5.5	9.4	62	20.6
5	7.0	5CN70R	5UN70R	7.0	6.0	10.1	68	23.0
6	7.5	6CN75R	6UN75R	7.5	6.5	10.8	74	25.4
7	8.0	7CN80R	7UN80R	8.0	7.0	11.4	77	25.4
8	8.5	8CN85R	8UN85R	8.5	7.5	12.2	79	26.6
9	9.0	9CN90R	9UN90R	9.0	8.0	12.7	79	27.6
10	10.0	10CN10R	10UN10R	10.0	9.0	13.8	79	28.6

SHILEY™ XLT TRACHEOSTOMY TUBES





Choice of distal or proximal length extensions to fit unusual anatomies. Flexible inner and outer cannula and high-volume, low-pressure cuff.

- 4A. Extended-length, cuffless tracheostomy tube with extra length in proximal portion.
- 4B. Extended-length, cuffless tracheostomy tube with extra length in distal portion.
- 4C. Extended-length, cuffed tracheostomy tube with extra length in proximal portion.
- 4D. Extended-length, cuffed tracheostomy tube with extra length in distal portion.
 - a. Extended-length, disposable inner cannula with integral 15 mm twist-lock connector.
 - b. Obturator.

DESCRIPTION							CATALOG NUMBER		
EXTENSION	I.D. (MM)	O.D. (MM)	TOTAL LENGTH (MM)	PROXIMAL LENGTH (MM)	RADIAL LENGTH (MM)	DISTAL LENGTH (MM)	CUFFED	CUFFLESS	DISP. INNER CANNULA
Distal	5.0	9.6	90	5.0	37.0	48.0	50XLTCD	50XLTUD	50XLTIN
Proximal	5.0	9.6	90	20.0	37.0	33.0	50XLTCP	50XLTUP	50XLTIN
Distal	6.0	11.0	95	8.0	38.0	49.0	60XLTCD	60XLTUD	60XLTIN
Proximal	6.0	11.0	95	23.0	38.0	34.0	60XLTCP	60XLTUP	60XLTIN
Distal	7.0	12.3	100	12.0	39.0	49.0	70XLTCD	70XLTUD	70XLTIN
Proximal	7.0	12.3	100	27.0	39.0	34.0	70XLTCP	70XLTUP	70XLTIN
Distal	8.0	13.3	105	15.0	40.0	50.0	80XLTCD	80XLTUD	80XLTIN
Proximal	8.0	13.3	105	30.0	40.0	35.0	80XLTCP	80XLTUP	80XLTIN

Tracheostomy tubes 1/box, disposable inner cannula 10/box. Supplied with both cotton twill tape and adjustable tracheostomy tube holder (TTH). For detailed product information, refer to Directions for Use in each product package.



SHILEY™ TRACHEOSTOMY TUBES, CUFFED, WITH DISPOSABLE INNER CANNULA



- 2A. Tracheostomy tube, cuffed, with disposable inner cannula (DCT) provides the convenience of a disposable inner cannula.
- 2B. Tracheostomy tube cuffed with disposable inner cannula, fenestrated (DFEN) provides inner cannula disposability, permitting patient to breathe through upper airway if desired.
- 2C. Percutaneous tracheostomy tube with disposable inner cannula (PERC) is specially designed to work with Cook Medical™ percutaneous tracheostomy introducer sets.
- Disposable inner cannula (DIC) has integral 15 mm snap-lock connector.
 - Obturator.
 - Disposable decannulation plug (DDCP) closes the proximal end of the DCFS, DCFN, and DFEN to permit breathing through the fenestration and the upper airway.
 - Introducer sold separately by Cook Medical, Bloomington, IN.

SIZE	PRODUCT DESIGNATION	I.D.	O.D.	LENGTH	QTY PER BOX	
4	4DCT	5.0 mm	9.4 mm	62 mm	1	DCT
6	6DCT	6.4 mm	10.8 mm	74 mm	1	
8	8DCT	7.6 mm	12.2 mm	79 mm	1	
10	10DCT	8.9 mm	13.8 mm	79 mm	1	
4	4DFEN	5.0 mm	9.4 mm	62 mm	1	DFEN
6	6DFEN	6.4 mm	10.8 mm	74 mm	1	
8	8DFEN	7.6 mm	12.2 mm	79 mm	1	
10	10DFEN	8.9 mm	13.8 mm	79 mm	1	
6	6PERC	6.4 mm	10.8 mm	74 mm	1	PERC
8	8PERC	7.6 mm	12.2 mm	79 mm	1	
REQUIRED FOR USE WITH						
4	4DIC	4DCT	4DFEN		10	DIC
6	6DIC	6DCT	6DFEN	6PERC	10	
8	8DIC	8DCT	8DFEN	8PERC	10	
10	10DIC	10DCT	10DFEN		10	


SHILEY™ TRACHEOSTOMY TUBES, CUFFLESS, WITH DISPOSABLE INNER CANNULA



- 3A. Tracheostomy tube, cuffless with disposable inner cannula (DCFS).
- 3B. Tracheostomy tube, cuffless with disposable inner cannula, fenestrated (DCFN) helps permit the patient to breathe through the upper airway if desired.
- Disposable inner cannula (DIC) with integral 15 mm snap-lock connector.
 - Obturator.
 - Disposable decannulation plug (DDCP) closes the proximal end of the DCFS, DCFN, and DFEN to permit breathing through the fenestration and the upper airway.

SIZE	PRODUCT DESIGNATION	I.D.	O.D.	LENGTH	QTY PER BOX	
4	4DCFS	5.0 mm	9.4 mm	62 mm	1	DCFS
6	6DCFS	6.4 mm	10.8 mm	74 mm	1	
8	8DCFS	7.6 mm	12.2 mm	79 mm	1	
10	10DCFS	8.9 mm	13.8 mm	79 mm	1	
4	4DCFN	5.0 mm	9.4 mm	62 mm	1	DCFN
6	6DCFN	6.4 mm	10.8 mm	74 mm	1	
8	8DCFN	7.6 mm	12.2 mm	79 mm	1	
10	10DCFN	8.9 mm	13.8 mm	79 mm	1	
REQUIRED FOR USE WITH						
4	4DIC	4DCFS	4DCFN		10	DIC
6	6DIC	6DCFS	6DCFN		10	
8	8DIC	8DCFS	8DCFN		10	
10	10DIC	10DCFS	10DCFN		10	



SHILEY™ TRACHEOSTOMY TUBES, CUFFED, WITH INNER CANNULA



- 5A. Tracheostomy tube, cuffed, with inner cannula (LPC).
- 5B. Tracheostomy tube, cuffed, with inner cannula, fenestrated (FEN) allows for weaning of patient from tube by facilitating upper airway breathing.
- Decannulation plug (DCP) is connected to the outer cannula to permit upper airway breathing.
 - Inner cannula with integral 15 mm twist-lock connector.
 - Obturator.
 - Fenestrated inner cannula with green 15 mm connector and white 15 mm cap.

SIZE	PRODUCT DESIGNATION	I.D.	O.D.	LENGTH	QTY PER BOX	
4	4LPC	5.0 mm	9.4 mm	65 mm	1	LPC
6	6LPC	6.4 mm	10.8 mm	76 mm	1	
8	8LPC	7.6 mm	12.2 mm	81 mm	1	
10	10LPC	8.9 mm	13.8 mm	81 mm	1	
4	4FEN	5.0 mm	9.4 mm	65 mm	1	FEN
6	6FEN	6.4 mm	10.8 mm	76 mm	1	
8	8FEN	7.6 mm	12.2 mm	81 mm	1	
10	10FEN	8.9 mm	13.8 mm	81 mm	1	

SHILEY™ TRACHEOSTOMY TUBES, CUFFLESS, WITH INNER CANNULA



- 5A. Tracheostomy tube, cuffless, with inner cannula (CFS) is designed for general pulmonary hygiene and for use with spontaneously breathing patients.
- 5B. Tracheostomy tube, cuffless, with inner cannula, fenestrated (CFN) is designed for pulmonary hygiene and, when used in conjunction with the Decannulation plug (DCP), directs breathing through the upper airway.
- 6C. Laryngectomy tube (LGT) is made with high-quality, compliant material and is a comfortable, convenient alternative to metal tubes.
- Inner cannula with integral 15 mm twist-lock connector.
 - Inner cannula with closed lumen and low-profile connector is supplied with the CFS and directs breathing through the upper airway.
 - Cannula with open lumen and low-profile connector reduces bulk at stoma. (Caution: Low profile inner cannula is not adaptable to ventilator equipment.)
 - Obturator.
 - Decannulation tube (DCP) closes the proximal end of the CFN to permit breathing through the fenestration and upper airway.
 - Inner cannula with low-profile connectors to reduce bulk at stoma.
 - Fenestrated inner cannula with green 15 mm connector and white 15 mm cap.

SIZE	PRODUCT DESIGNATION	I.D.	O.D.	LENGTH	QTY PER BOX	
4	4CFS	5.0 mm	9.4 mm	65 mm	1	CFS
6	6CFS	6.4 mm	10.8 mm	76 mm	1	
8	8CFS	7.6 mm	12.2 mm	81 mm	1	
10	10CFS	8.9 mm	13.8 mm	81 mm	1	
4	4CFN	5.0 mm	9.4 mm	65 mm	1	CFN
6	6CFN	6.4 mm	10.8 mm	76 mm	1	
8	8CFN	7.6 mm	12.2 mm	81 mm	1	
10	10CFN	8.9 mm	13.8 mm	81 mm	1	
6	6LGT	6.4 mm	11.1 mm	50 mm	1	LGT
8	8LGT	7.6 mm	12.6 mm	50 mm	1	
10	10LGT	8.9 mm	13.7 mm	50 mm	1	

SHILEY™ TRACHEOSTOMY TUBES, CUFFED, SINGLE CANNULA

SCT



7. Tracheostomy tube, cuffed, single cannula (SCT) is available in a wide range of sizes for special applications. Includes smooth, rounded-tip obturator to facilitate insertion.

SIZE	PRODUCT DESIGNATION	I.D.	O.D.	LENGTH	QTY PER BOX
5.0	5SCT	5.0 mm	7.0 mm	58 mm	1
6.0	6SCT	6.0 mm	8.3 mm	67 mm	1
7.0	7SCT	7.0 mm	9.6 mm	80 mm	1
8.0	8SCT	8.0 mm	10.9 mm	89 mm	1
9.0	9SCT	9.0 mm	12.1 mm	99 mm	1
10.0	10SCT	10.0 mm	13.3 mm	105 mm	1

SCT

SHILEY™ TRACHEOSTOMY TUBE ACCESSORIES



- 8A. Disposable inner cannula (DIC) with integral 15 mm snap-lock connector, individually sterile packaged, required for use with DCT, DFEN, PERC, DCFS, and DCFN.
- 8B. Spare inner cannula (SIC) with red, color-coded twist-lock connector, for temporary use during cleaning or removal of the inner cannula of Shiley™ tracheostomy tubes, may be used with LPC, FEN, CFS, and CFN.
- 8C. Disposable inner cannula, fenestrated (DICFEN) is for use with DCFN and DFEN tracheostomy tubes.
- 8D. White 15 mm cap (CAP) attaches to the fenestrated inner cannula with green 15 mm connector to permit breathing through the fenestration and upper airway.
- 8E. Decannulation plug (DCP) closes the proximal end of the FEN and CFN tubes to permit breathing through the fenestration and upper airway.
- 8F. Disposable decannulation plug (DDCP) closes the proximal end of the DCFS, DCFN, and DFEN to permit breathing through the fenestration and upper airway.

SIZE	PRODUCT DESIGNATION	FOR USE WITH				QTY PER BOX	
4	4DIC	4DCT	4DFEN	4DCFS	4DCFN	10	DIC
6	6DIC	6DCT	6DFEN	6DCFS	6DCFN	10	
8	8DIC	8DCT	8DFEN	8DCFS	8DCFN	10	
10	10DIC	10DCT	10DFEN	10DCFS	10DCFN	10	
4	4SIC	4LPC	4FEN	4CFN	4CFS	10	SIC
6	6SIC	6LPC	6FEN	6CFN	6CFS	10	
8	8SIC	8LPC	8FEN	8CFN	8CFS	10	
10	10SIC	10LPC	10FEN	10CFN	10CFS	10	
4	4DICFEN	4DFEN	4DCFN			10	DICFEN
6	6DICFEN	6DFEN	6DCFN			10	
8	8DICFEN	8DFEN	8DCFN			10	
10	10DICFEN	10DFEN	10DCFN			10	
4	4DCP	4FEN	4CFN			10	DCP
6	6DCP	6FEN	6CFN			10	
8	8DCP	8FEN	8CFN			10	
10	10DCP	10FEN	10CFN			10	
	DDCP	Any size DCFS, DCFN, and DFEN tracheostomy tube				10	DDCP
	CAP	Any size FEN and CFN tracheostomy tube				10	CAP

SHILEY™ PHONATE SPEAKING VALVE

SSVO

9A



SSV

9B



PRODUCT DESIGNATION	QTY PER BOX
SSVO	1
SSV	1
TTH	10
SSDD	20
PDD	20

- 9A/B. Shiley™ phonate speaking valve (SSV) and Shiley™ phonate speaking valve for use with low-flow oxygen O[2] port (SSVO). Designed for use on alert, awake tracheostomy patients who can breathe without assisted mechanical ventilation. Connects to 15 mm connector on tracheostomy tube. Directs airflow past the vocal cords, helping patients speak without finger occlusion.
- 9C. HammerPlane Stronghold™* anti-disconnect device (SSDD). For Shiley™ dual cannula adult tracheostomy tubes with soft-swivel neck flange (not for use with XLT). Eliminates accidental disconnection at the tracheostomy tube site without restricting movement of swivel-type adapters. Adult and pediatric styles available. HammerPlane Stronghold™* anti-disconnect device (PDD). For Shiley™ pediatric and neonatal tracheostomy tubes (not pictured).
- 9D. Shiley™ tracheostomy tube holder (TTH). For pediatric and adult. A convenient alternative to twill tape, the tube holder is made of a soft material with a wide band to promote better skin care and patient comfort. Fits adult through pediatric patients, up to 18 inch neck size. Single-patient use; latex-free.

HAMMERPLANE STRONGHOLD™* ANTI-DISCONNECT DEVICE

SSDD

9C



SHILEY™ TRACHEOSTOMY TUBE HOLDER

TTH

9D



SHILEY™ ADULT AND PEDIATRIC TRACHEOSTOMY HOME CARE GUIDES AND VIDEOS

Important tracheostomy care information for patients and caregivers. Printed guides are available in combined English-Spanish format. Videos can be downloaded in English, Spanish, French, German, and Italian at LivingWithAvent.com.




SHILEY™ CUSTOM TRACHEOSTOMY TUBE SERVICE



When a standard tracheostomy tube doesn't offer the right fit, turn to our custom tracheostomy tube service. Available options include:


- Modified lengths
- Additional sizes
- Customized cuffs
- Modified flange angles

Use our ordering tool at ShileyCustomTrach.com or call 800-635-5267 for assistance.



All Shiley™ neonatal and pediatric tracheostomy tubes have a recessed area behind the connector to provide greater comfort.

- 6A. The neonatal tracheostomy tube (NEO) features a lower flange angle to improve fit.
- 6B. The pediatric tracheostomy tube (PED).
- 6C. The long pediatric tracheostomy tube (PDL) offers a longer cannula to fit larger pediatric patients.
- 6D/E. The economical cuffed long pediatric tracheostomy tube (PLC) and the cuffed pediatric tracheostomy tube (PDC) feature gentle cylindrical cuffs



- 10A. Adult-pediatric electrostatic filter (large) is designed for patients with tidal volume between 300 and 1500 mL. Electrostatic filter membrane.
- 10B. Adult-pediatric electrostatic filter HME (small, angled port) is compact and angled with only 61 mL dead space. Electrostatic filter membrane.
- 10C. Pediatric electrostatic filter HME features electrostatic filter membrane and meets the needs of patients with tidal volume between 75 and 300 mL.
- 10D. Infant electrostatic filter HME is designed for infants or neonates with tidal volume between 30 and 100 mL.
- 10E. Small mechanical filter HME is designed for patients with tidal volume between 200 and 1500 mL.

SIZE	PRODUCT DESIGNATION	I.D.	O.D.	LENGTH	QTY PER BOX	
3.0	3.0 NEO	3.0 mm	4.5 mm	30 mm	1	NEO
3.5	3.5 NEO	3.5 mm	5.2 mm	32 mm	1	
4.0	4.0 NEO	4.0 mm	5.9 mm	34 mm	1	
4.5	4.5 NEO	4.5 mm	6.5 mm	36 mm	1	
3.0	3.0 PED	3.0 mm	4.5 mm	39 mm	1	PED
3.5	3.5 PED	3.5 mm	5.2 mm	40 mm	1	
4.0	4.0 PED	4.0 mm	5.9 mm	41 mm	1	
4.5	4.5 PED	4.5 mm	6.5 mm	42 mm	1	
5.0	5.0 PED	5.0 mm	7.1 mm	44 mm	1	
5.5	5.5 PED	5.5 mm	7.7 mm	46 mm	1	
5.0	5.0PDL	5.0 mm	7.1 mm	50 mm	1	PDL
5.5	5.5PDL	5.5 mm	7.7 mm	52 mm	1	
6.0	6.0PDL	6.0 mm	8.3 mm	54 mm	1	
6.5	6.5PDL	6.5 mm	9.0 mm	56 mm	1	PDC
4.0	4.0PDC	4.0 mm	5.9 mm	41 mm	1	
4.5	4.5PDC	4.5 mm	6.5 mm	42 mm	1	
5.0	5.0PDC	5.0 mm	7.1 mm	44 mm	1	
5.5	5.5PDC	5.5 mm	7.7 mm	46 mm	1	
5.0	5.0PLC	5.0 mm	7.1 mm	50 mm	1	PLC
5.5	5.5PLC	5.5 mm	7.7 mm	52 mm	1	
6.0	6.0PLC	6.0 mm	8.3 mm	54 mm	1	
6.5	6.5PLC	6.5 mm	9.0 mm	56 mm	1	


	ADULT-PEDIATRIC ELECTROSTATIC FILTER HME (LARGE)	ADULT-PEDIATRIC ELECTROSTATIC FILTER HME (SMALL, ANGLED PORT)	PEDIATRIC ELECTROSTATIC FILTER LINE HME	INFANT ELECTROSTATIC FILTER HME	SMALL MECHANICAL FILTER HME
CATALOG NUMBER	352U5805	352U5996	355U5430	355U5427	354U19028
Moisture Output @ 2 hrs (ISO 9360)	mg H ₂ O/L	mg H ₂ O/L	mg H ₂ O/L	mg H ₂ O/L	mg H ₂ O/L
Vt 50 mL	—	—	—	30.0	—
Vt 250 mL	33.9	34.4	32.3	—	33.0
Vt 500 mL	33.3	33.6	—	—	31.5
Vt 750 mL	—	—	—	—	—
Vt 1000 mL	32.4	32.9	—	—	29.6
Resistance to Flow at: (ISO 9360)					
5 L/min	—	—	—	0.6 cm H ₂ O	—
20 L/min	—	—	1.6 cm H ₂ O	—	—
30 L/min	0.9 cm H ₂ O	1.2 cm H ₂ O	2.6 cm H ₂ O	—	1.2 cm H ₂ O
60 L/min	2.1 cm H ₂ O	2.9 cm H ₂ O	—	—	2.7 cm H ₂ O
90 L/min	3.6 cm H ₂ O	5.2 cm H ₂ O	—	—	4.6 cm H ₂ O
Filtration Efficiency:**					
Bacterial	99.999%	>99.99%	99.999%	99.999%	>99.999%
Viral	99.999%	>99.99%	>99.99%	>99.99%	>99.999%
Dead Space†	90 mL	61 mL	31 mL	10 mL	66 mL
Weight (approx.)	50 g	29 g	21 g	9 g	36 g
Type of Filtration	Electrostatic	Electrostatic	Electrostatic	Electrostatic	Mechanical

Small mechanical filter protect against microbes as small as 0.02 μ. All products are sold 50/box. **13**



- 11A. Adult-pediatric mechanical HME warms and humidifies air for spontaneously breathing tracheostomy patients. Built-in oxygen port.
- 11B. Adult-pediatric mechanical HME features an end-tidal CO₂ sampling port.
- 11C. Adult-pediatric mechanical HME with connector features integral extendable connector.

CATALOG NUMBER	ADULT-PEDIATRIC MECHANICAL HME WITH CATHETER MOUNT	ADULT-PEDIATRIC MECHANICAL HME	ADULT-PEDIATRIC MECHANICAL HME WITH CONNECTOR
Moisture Output @ 2 hrs (ISO 9360)	mg H ₂ O/L	mg H ₂ O/L	mg H ₂ O/L
Vt 250 mL	–	28.8	20.5
Vt 500 mL	28.5	29.5	31.0
Vt 750 mL	–	31.2	29.7
Vt 1000 mL	–	30.4	29.6
Resistance to Flow at: (ISO 9360)			
30 L/min	0.7 cm H ₂ O	0.7 cm H ₂ O	0.5 cm H ₂ O
60 L/min	1.8 cm H ₂ O	2.0 cm H ₂ O	1.1 cm H ₂ O
90 L/min	3.0 cm H ₂ O	3.8 cm H ₂ O	2.0 cm H ₂ O
Dead Space†	16 mL	36 mL	60 mL (compressed) 75 mL (extended)
Weight (approx.)	8.5 g	24 g	12 g
Oxygen Volume	<4 L/min	–	–



- 12A. Extension tube moves connection away from face and provides excellent flexibility while maintaining inner lumen diameter. Catalog number 332U5115.
- 12B. Double-swivel connector connects to face mask or tracheal tube and allows for patient movement. Catalog number 610U5257.
- 12C. Extendable extension tube expands from 4 cm to 13 cm and holds shape for better positioning of the breathing circuit. Catalog number 332U5663. Also available sterile. Catalog number 332/5663.
- 12D. Catheter mount (extendable) has port with cap to allow insertion of suction catheter or bronchoscope. Combination swivels to permit patient movement and helps position breathing circuit. Catalog number 331U5661.

* Shown here with double-swivel connector with extendable tube. Catalog number 331U5661.

** Data from Nelson Laboratories, Salt Lake City, UT. A value of >99.99 is reported when no colonies are detected on any of the Andersen sampler plates. The actual experimental value is 100%.

† Connectors included — ISO9360

DESCRIPTION	CATALOG NO.	BOX/CASE QTY
Extension tube	332U5115	25
Double-swivel connector	610U5257	50
Extendable extension tube	332U5663	25
Double-swivel connector with extendable extension tube	331U5661	25

© 2016 Medtronic. All rights reserved. Medtronic, Medtronic logo and Further, Together are trademarks of Medtronic. ^{TM*} Third party brands are trademarks of their respective owners. All other brands are trademarks of a Medtronic company. 10/2016-15-AW-0019(a)1-[WF#1320698]

6135 Gunbarrel Avenue
Boulder, CO 80301

800.635.5267

medtronic.com/covidien

Medtronic