

## Product Information: ProViMin®

For more information, contact your Abbott Nutrition Representative or visit  
[www.abbottnutrition.com](http://www.abbottnutrition.com)

- Nutrition support of individuals who require a formula modified in carbohydrate, fat and/or increased protein.
- Use under medical supervision.
- High-quality source of protein (casein).
- 2.0 g of carbohydrate and 1.4 g of fat per 100 g of powder; provides flexibility in prescribing a formula in which the amount and type of carbohydrate and fat can be added per individual infant's need and tolerance.
- Meets the Dietary Reference Intakes and the American Academy of Pediatrics Committee on Nutrition (AAPCON) recommendations for vitamin and mineral intakes for infants when fed at a dilution of 3.25 g protein/100 Cal.
- Calcium-to-phosphorus ratio of 1.4:1, which is similar to that of standard infant formulas and meets AAPCON recommendations for that ratio.
- L-carnitine (40 mg/100 g) and taurine (110 mg/100 g).
- Lactose-free.
- Gluten-free.
- Kosher.
- Halal.



### Safety Precautions

- Does not supply sufficient amounts of energy as carbohydrate, fat or linoleic acid. These nutrients should be supplied from other sources under the supervision of a physician.
- Not for IV use.
- Do not boil mixture or use terminal sterilization.
- **Never use a microwave oven to prepare or warm mixture.** Serious burns can result.

### Ingredients

#### Powder Unflavored:

Sodium Caseinate, Calcium Phosphate, Potassium Citrate, Potassium Chloride. Less than 2% of the Following: Magnesium Chloride, Ascorbic Acid, Coconut Oil, Choline Chloride, Ferrous Sulfate, Taurine, m-Inositol, L-Methionine, d-Alpha-Tocopheryl Acetate, Zinc Sulfate, L-Carnitine, Niacinamide, Calcium Pantothenate, Vitamin A Palmitate, Cupric Sulfate, Thiamine Chloride Hydrochloride, Riboflavin, Pyridoxine Hydrochloride, Folic Acid, Manganese Sulfate, Potassium Iodide, Phylloquinone, Biotin, Sodium Selenate, Vitamin D3, Cyanocobalamin, Salt, and Calcium Carbonate.

**Allergens:** Contains milk ingredients.

### Availability

List Number	Item
50260	ProViMin Powder Institutional / 5.3-oz (150-g) Can / 6 ct

### Nutrition Information - Powder Unflavored

	100 g Powder	100 Cal
	Value	Value
Protein Source	Casein, L-Amino Acids	Casein, L-Amino Acids
Fat Source	Coconut Oil	Coconut Oil
Carbohydrate Source	None Added	None Added
Osmolality, mOsm/kg H2O	Varies With Amount of Carbohydrate, Fat and Water Added	Varies With Amount of Carbohydrate, Fat and Water Added
Protein, g	73	23
Fat, g	1.4	0.4
Carbohydrate, g	2.0	0.6
Water, g	4.0	
Linoleic Acid, mg	0.0	0.0
Potential Renal Solute Load, mOsm	673	215
Calories	313	100
Vitamin A, IU	6740	2150
Vitamin D, IU	1000	320
Vitamin E, IU	67	21
Vitamin K, mcg	90	29
Thiamin (Vitamin B1), mcg	2240	716
Riboflavin (Vitamin B2), mcg	2020	645
Vitamin B6, mcg	1350	431
Vitamin B12, mcg	5.6	1.8
Niacin, mcg	24,000	7670
Folic Acid (Folacin), mcg	320	102
Pantothenic Acid, mcg	10,100	3230
Biotin, mcg	100	32
Vitamin C (Ascorbic Acid), mg	200	64
Choline, mg	335	107
Inositol, mg	105	34
Calcium, mg	2400	767
Calcium, mEq	120.0	38.4
Phosphorus, mg	1700	543
Magnesium, mg	200	64
Iron, mg	40	13
Zinc, mg	17	5.4
Manganese, mcg	200	64
Copper, mcg	2100	671
Iodine, mcg	335	107
Selenium, mcg	40	13
Sodium, mg	1200	383
Sodium, mEq	52	17

For more information, contact your Abbott Nutrition Representative or visit  
[www.abbottnutrition.com](http://www.abbottnutrition.com)

### Nutrition Information - Powder Unflavored

	100 g Powder	100 Cal
	Value	Value
Potassium, mg	3300	1050
Potassium, mEq	84	27
Chloride, mg	2300	735
Chloride, mEq	65	21

### Preparation

#### Directions for Preparation and Use: Use Only As Directed by a Physician

Depending on specific needs of each individual, preparation will vary as prescribed by physician. Failure to follow these directions could result in harm. If feeding an infant, ask your baby's doctor if you need to use cooled, boiled water for mixing and boil (sterilize) bottles, nipples and rings before use.

- Wash your hands, surfaces and utensils.
- Pour a small amount of the prescribed liquid into a clean container or blender.
- Add the prescribed amount of ProViMin powder and mix or blend on low speed to make a smooth paste.
- Gradually add remaining liquid (and other ingredients if recommended) to the mixture while stirring or blending. Stir or blend until well blended.
- Pour mixture into clean feeding container; cap.
- Shake well before feeding.

Once feeding begins, **use within 1 hour or discard.**

#### Approximate Weights for Unpacked, Level U.S. Standard Dry Household Measures for Powder\*

Household Measure (US)	Approx. Weight (g)
1 Tbsp	2.9
1/4 Cup	11.0
1/2 Cup	20.0
2/3 Cup	30.0
1 Cup	44.0

\* For most accurate results, ProViMin should be weighed on a scale that reads in grams.

### Storage & Handling

#### Powder

- Once mixed, store container in refrigerator and **feed to baby or child within 24 hours.**
- Store unopened or opened can at room temperature; avoid extreme temperatures.
- **Use opened can contents within 1 month.**