

Medline Active® Liquid Protein Ready-to-use concentrated nutrition

ENHANCE HEALTH, ONE OUNCE AT A TIME

When diet alone is not enough, Medline Active[®] Liquid Protein with high protein content helps residents and patients get back to being themselves.



The importance of protein in improving health

Adequate protein intake plays an important role in improving many conditions commonly found in the elderly. Protein deficiency contributes to increased skin fragility, decreased immune function, poorer healing and longer recuperation from illness in older adults.¹ Patients who test for poor nutrition when they are admitted to the ICU may benefit most significantly from greater protein and energy intake, especially during longer ICU stays.²

Inadequate protein intake can also adversely affect wound healing:

- » Protein deficiency has been shown to contribute to poor wound healing rates with reduced collagen formation and can result in wounds rupturing along the surgical incision³
- » High wound exudate loss can result in a deficit of as much as 100 grams of protein in one day. This subsequently needs to be replaced with a high protein diet³

A small amount packs a powerful punch

Medline Active Liquid Protein consists of a dual protein source of hydrolyzed collagen and whey protein. A 1-oz. serving of **Active Liquid Protein contains 15 to 21 grams of protein**, roughly one-third of the FDA suggested daily value.⁴

The role of arginine

Medline Active Critical Care Liquid Protein contains 3.7 grams of arginine per 30 mL serving. Specialized nutrition containing arginine can help support the immune system to help the speed of recovery while hospitalized.⁵ Active Critical Care Liquid Protein also contains zinc and vitamin C, important nutrients for wound healing.^{6,7}

Easy to take

Because Active Liquid Protein is in liquid form, there's no need for mixing. It's easy to add Active Liquid Protein to hot or cold food or beverages, or to administer it orally or via feeding tube.

Bigger selection

Medline Active Liquid Protein is available in **sugar and sugar-free** options to meet patient and resident preferences. With better taste and smaller volume, you can experience improved compliance with prescribed dietary needs. Active Liquid Protein is gluten-free and lactose-free. Choose from Citrus Berry Punch, Orange Crème or Mild Citrus.

Small case count for optimal inventory control. A 4.2-oz. chicken breast typically contains 26.7 g of protein.³

WARNING: This product contains milk and whey isolate. Contains phenylalanine and should not be used by phenylketonurics.

Keep out of reach of children. Not for use by infants, children under age 4, or pregnant or lactating women. If tamper-resistant seal is broken do not use the product. Do not drink from the bottle or unit dose packs. This is medical food. Consult your healthcare professional on use of this product. Active Liquid Protein is not a sole source for nutrition and should not be used for weight reduction. Do not refrigerate. Shelf stable. 3-month shelf life from date opened.



A small amount goes a long way.

In addition to 30-oz. bottles, Medline Active Liquid Protein is now available in pre-measured 1-oz unit dose packets for convenient portability and dispensing.



| ltem No. | Description | Protein per 1-oz. Serving* | Pkg. | HCPCS |
|--------------|--|-------------------------------|--------|-------|
| ENT693CB | Active Liquid Protein, Citrus Berry, 30-oz. | 15 g | 4/cs | B4155 |
| ENT693SFCB | Active Liquid Protein, Sugar-Free Citrus Berry, 30-oz. | 16 g | 4/cs | B4155 |
| ENT693SFCBUD | Active Liquid Protein, Sugar-Free Citrus Berry, 1-oz. Unit Dose | 16 g | 100/cs | B4155 |
| ENT6930C | Active Liquid Protein, Orange Crème, 30-oz. | 15 g | 4/cs | B4155 |
| ENT693SFOC | Active Liquid Protein, Sugar-Free Orange Crème, 30-oz. | 16 g | 4/cs | B4155 |
| ENT697 | Active Critical Care Liquid Protein, Sugar-Free Citrus Berry, 30-oz. | 21 g | 4/cs | B4155 |
| ENT697UD | Active Critical Care Liquid Protein, Sugar-Free Citrus Berry, 1-oz. Unit Dose | 21 g | 100/cs | B4155 |
| ENT693SFUD | Active Liquid Protein, Sugar-Free Mild Citrus, 1-oz. Unit Dose | 16 g | 100/cs | B4155 |

Ask your Medline Representative for a FREE trial of Active today!

MEDLINE

BENEFITS

High Quality Nutrition

15 to 21 grams of protein for every 1-oz. serving along with other key nutrients.

Easy to Administer

Ready-to-use liquid for oral consumption or tube feeding.

Broad Selection

Available in a variety of sugar and sugar-free flavors.

Valuable Support

Access to on-staff registered dietitians and accredited continuing education courses on Medline University[®], Medline's free online education resource.

Medline Industries, Inc. Three Lakes Drive, Northfield, IL 60093

Medline United States 1-800-MEDLINE (633-5463) medline.com | info@medline.com Medline Canada 1-800-396-6996 medline.ca | canada@medline.com Medline México 01-800-831-0898 medlinemexico.com | mexico@medline.com

REFERENCES: 1. Chernoff R. Protein and older adults. Journal of the American College of Nutrition. 2004;23(6 Suppl):6275-630S. Available at: https://www.ncbi.nlm.nih.gov/ pubmed/15640517. Accessed November 6, 2017. 2. Compher C, Chittams J, Sammarco T, Nicolo M, Heyland DK. Greater protein and energy intake may be associated with improved mortality in higher risk critically ill patients: a multicenter, multinational observational study. Critical Care Medicine. 2017;45(2):156-163. Available at: https://www.ncbi.nlm.nih. gov/m/pubmed/28098623/. Accessed November 1, 2017. 3. Russell L. The importance of patients' nutritional status in wound healing. British Journal of Nursing. 2001;10(6 Suppl):542.544-49. Available at: https://www.ncbi.nlm.nih.gov/pubmed/12070399. Accessed November 6, 2017. 4. Protein. Food and Drug Administration (FDA) website. Available at: https://www.accessdata.fda.gov/scripts/InteractiveNutritionFactsLabel/protein.html. Accessed November 6, 2017. 5. Drover JW, Dhaliwal R, Weitzel L, Wischmeyer PE, Ochoa JB, Heyland DK. Perioperative use of arginine-supplemented diets: a systematic review of theevidence. Journal of the American College of Surgeons. 2011; 212(3);385–399. 6. Kogan S, Sood A, Granick MS. Zinc and wound healing: a review of zinc physiology and clinical applications. Wounds. 2017;29(4):102-106. Available at: http://www.woundsresearch.com/ article/zinc-and-wound-healing-review-zinc-physiology-and-clinical-applications. Accessed November 9, 2017. Moores J. Vitamin C: a wound healing perspective. British Journal of Nursing. 2013;18(12):S6, S8-11. Available at: https://www.ncbi.nlm.nih.gov/pubmed/21796079.Accessed November 9, 2017.

Some products may not be available for sale in Mexico or Canada. We reserve the right to correct any errors that may occur within this brochure. © 2017 Medline Industries, Inc. Active and Medline are registered trademarks of Medline Industries, Inc. MKT1792571 / LIT633R / 2M / SG / 3 FOLLOW US fin y BLOG