



Introducing
a new
dimension in
sound and
vision

sonicaid® Fetal Dopplers

The Sonicaid Digital Doppler — a new dimension in sound and vision

Visual presentation of fetal heart rate, in numeric and trace views, providing added clinical reassurance

With over 40 years' experience in fetal monitoring, our technological innovations have enabled us to develop a new digital platform for our latest Doppler range. This generation of Doppler combines excellence in probe performance with digital signal processing to provide superb digital audio system.

Our latest digital algorithms optimize fetal heart rate (FHR) performance and the high-resolution color display includes new "BIG numbers" and trace display modes. Doppler sound recording, on-screen trace review and playback are just some of the many new features in this state-of-the-art digital Doppler unit.

HD

HIGH-RESOLUTION COLOR DISPLAY

- FHR and trace displayed in high definition.
- Wide viewing angle.



123

MULTIFUNCTIONAL DISPLAY

- Toggle between "BIG" numbers FHR display mode and FHR trace mode.



DATA STORAGE ON MICRO SD CARD

- Extensive storage capacity of both FHR and audio files for playback.***



INTEGRATED CHARGING AND CONNECTIVITY

- MicroUSB port for convenient charging.
- Stereo headphone connection socket.

XS

HIGH-SENSITIVITY PROBES

- Calibrated and fine-tuned to provide excellent performance over the widest gestational age and BMI range in all clinical settings.



A new approach to intermittent auscultation - BIG numbers and trace modes



Instantly visualize the FHR and trace

Simply switch between **BIG** numbers and our unique **TRACE** view.



Storage and playback

Store and retrieve FHR traces and sounds for review.



Rechargeable

Charged via USB socket, providing low running costs and avoiding the need to change batteries.



Educational resource tool

Prestored files on the SD card*** can be used to demonstrate obstetric traces (supplied on the optional USD card).



Real-time clock

Ensures that all stored data is time and date stamped, providing proof of when the test was undertaken.



Labor auscultation timer

A unique 15-minute timer function is available for use in managing low-risk labor, where guidelines recommend performing a Doppler examination every 15 minutes.

BIG numbers mode displays the FHR in a high-contrast color for optimum visibility, making it easy to see at arm's length or in waterbirth environments.

- Real-time display includes date and time, signal quality and FHR alerts
- Ensures high visibility of FHR over wide viewing range
- Easier FHR screening particularly in waterbirth settings

Trace view mode offers enhanced screening for improved quality of care and allows more in-depth review for higher risk situations.

- Includes fetal movement markers and automatic date and time stamping
- Live on-screen scrolling for trace review of longer traces



Hear the
difference —
performance
when you need
it the most



New range of digital handheld Dopplers

Choose the model that suits your needs

Our NEW range of digital handheld Dopplers includes 3 models. All models are rechargeable as standard, and can be supplied complete with a medical-grade mains charger and cable.

SR2 and SR3

Rate and trace display Dopplers with fixed 2 MHz or 3 MHz waterproof probe models.

These high-sensitivity handheld digital Dopplers are intended for general-purpose screening of the fetal heart at all stages of pregnancy, from as early as 8-10 weeks, right through to labor. The attached probes are waterproof (IPX7) for high-sensitivity FHR detection in both normal use and in waterbirth monitoring.

Choose between 2 MHz (SR2) or 3 MHz (SR3) fixed-probe options. The 2 MHz model is a general-purpose probe for use at all stages of pregnancy. The 3 MHz probe is the probe of choice for many clinicians for use in early gestation.

SRX

Rate and trace display Dopplers with interchangeable obstetric and vascular probe options.

As per the above models but for use with plug-in interchangeable non waterproof probes. They can be used with the full set of XS probes, including the 2 and 3 MHz obstetric probes (OP2XS, OP3XS) and the full vascular range of VPxXS probes for audio screening of venous and arterial blood flow. (e.g., umbilical/uterine artery).





For the
moments
that
matter

A parent will never forget the first time they hear their baby's heart beating. We recognize the importance of these special moments, which is why we have developed products that give outstanding performance when you need it most, every time! Performance for life is at the core of every Sonicaid product.

While our products are primarily designed and manufactured to assist in the safe delivery of a new life, absolute care and attention to detail is paramount to ensure that the high levels of performance are consistent throughout the life of the product.



"Performance for life is at the core of every Sonicaid product."



Audio Dopplers

Sonicaid D920 & D930 audio Dopplers with fixed 2 or 3 MHz waterproof probes.

The **D920**, with its high-sensitivity probe and excellent audio quality, ensures easy and reliable detection throughout pregnancy.

The **D930** model meets the growing demand for a high-sensitivity 3 MHz Doppler for sensitive detection in early gestation.

- High-sensitivity probes for improved ease of use
- Waterproof probes suitable for waterbirth
- Easy-clean probe for improved infection control

Technical specification

Product features								
Product order code	SR2R-USA	SR2-USA	SR3R-USA	SR3-USA	SRXR-USA	SRX-USA	D920-P-USA	D930-P-USA
High resolution color display	▪	▪	▪	▪	▪	▪	LED indicators	LED indicators
FHR big numbers and trace display	▪	▪	▪	▪	▪	▪		
Probe frequency	2 MHz	2 MHz	3 MHz	3 MHz	2/3 MHz	2/3 MHz	2 MHz	3 MHz
Attached waterproof probes	▪	▪	▪	▪			▪	▪
Micro SD card slot ***	▪	▪	▪	▪	▪	▪		
User-adjustable FHR threshold indicators	▪	▪	▪	▪	▪	▪		
15-minute labor observation timer	▪	▪	▪	▪	▪	▪		
Record, playback of FHR and sound	▪	▪	▪	▪	▪	▪		
Integrated loudspeaker	▪	▪	▪	▪	▪	▪	▪	▪
Headphone output	▪	▪	▪	▪	▪	▪	▪	▪
Micro USB capability	▪	▪	▪	▪	▪	▪		
Battery type supplied as standard	2 x AA Rechargeable batteries	2 x AA Alkaline batteries	2 x AA Rechargeable batteries	2 x AA Alkaline batteries	2 x AA Rechargeable batteries	2 x AA Alkaline batteries	9 volt alkaline — 6LR61, 6LF22 or equivalent recommended (e.g., MN1604)	
110-240 V medical-grade recharging kit (supplied with country adaptors and USB cable)	▪	◻	▪	◻	▪	◻		
Battery life (number of 1 min exams)	500	500	500	500	500	500	500	500
Warranty**	3 year	3 year	3 year	3 year	3 year	3 year	5 year	5 year
Accessories	All handheld models supplied complete with: gel, soft carry bag, user manual.							
Safety standard compliance	All models comply with: ANSI/AAMI ES60601-1: A1:2012, C1:2009/(R)2012 AND A2:2010/(R)2012, CSA CAN/CSA-C22.2 NO. 60601-1:14, IEC 60601-1 Edition 3.1 (2012)							
Weight	11 oz (310 g)						10 oz (295 g)	
Dimensions (main unit)	Height 5.5" (140 mm), width 3.0" (75 mm), depth 1.2" (30 mm)						Height 5.5" (140 mm) width 2.9" (74 mm) depth 1.1" (27 mm)	

▪ Standard ◻ Option ** Refer to separate warranty statements *** USD card ordered separately

As a proud member of the Arjo family, we have been committed to supporting healthcare professionals in improving outcomes and enhancing patient wellbeing since 1979. We do this through our proven solutions for Vascular Assessment & Treatment and Fetal & Patient Monitoring. With innovation and customer satisfaction as our guiding principles, we strive for clinical excellence and improved performance, for life.

Arjo Inc.
2349 West Lake Street, Suite 250 Addison, Illinois 60101
T: +1 (800) 323 1245 F: +1 888 594 2756
www.huntleigh-diagnostics.us

Registered No: 942245 England & Wales. Registered Office:
ArjoHuntleigh House, Houghton Hall Business Park, Houghton Regis, Bedfordshire, LU5 5XF
©Huntleigh Healthcare Limited 2020



A Member of the Arjo Family
® and ™ are trademarks of Huntleigh Technology Limited
As our policy is one of continuous improvement, we reserve the right to modify designs without prior notice.