

2.0 LPM continuous flow and pulse settings 1-10.

NEW



The most advanced wearable POC

Treat a broader spectrum of patients
with a single wearable device.



Continuous flow
up to 2.0 LPM



Pulse flow
settings 1-10



Suitable for use
at home, at work
or on the go



Connected solution
for asset management
and clinical support

**Designed for the DME industry to deliver
the most reliable and durable clinical therapy.**

- Color LCD screen with easy-to-use control panel for quick set-up in hospital, clinic or home
- Includes multifunction carry bag for ease of mobility
- Vehicle performance with DC power on all settings

**ENERGY SMART
TECHNOLOGY®**



AMERICAN INNOVATION:
OWNERSHIP
ENGINEERING
MANUFACTURING
CUSTOMER SUPPORT

Oxlife LIBERTY²

PRODUCT SPECIFICATIONS¹

Dimensions	Height: 9.9" • Width: 9.9" • Depth: 3.8"
Weight	Device: 6.35 lbs
Battery Duration	Up to 4.5 hours
Battery Recharge Time²	Under 2.5 hours on AC or DC
Oxygen Concentration	87% - 95% at sea level at all settings
Pulse Flow Settings³	1 - 10 with bolus size 8 - 80mL
Continuous Flow Settings	0.5 LPM to 2.0 LPM
User Interface	Color LCD screen with keypad controls
AC Power	Input: 100-240VAC, 50/60Hz @ 2.5amps Maximum Power Consumption: 150W
DC Power	Input: 11.5 - 15V, 10A Maximum Power Consumption: 120W
Operating Temperature	50°F (10°C) to 104°F (40°C)
Altitude Operating Range	0 - 13,123 feet (0 - 4,000 meters)
Transportation/Storage Humidity	0 - 95% non-condensing
Connectivity - DNA Technology	O ₂ Concepts [®] proprietary, device-initiated, asset and clinical management platform utilizing the Verizon [®] cellular network

AMERICAN INNOVATION:
 OWNERSHIP
ENGINEERING
MANUFACTURING
CUSTOMER SUPPORT

- ¹ O₂ Concepts[®] reserves the right to revise specifications at anytime without notice
² Battery recharge time will increase if unit is operating on DC power while charging
³ Bolus size based on 20 breaths per minute

 O₂ Concepts[®]

o2-concepts.com | 877.867.4008

