

Material Safety Data Sheet

May be used to comply with
 OSHA's Hazard Communication Standard,
 29 CFR 1910.1200. Standard must be
 consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and Health
 Administration
 (Non-Mandatory Form)
 Form Approved
 OMB No. 1218-0072

IDENTITY (As Used on Label and List) STING FREE		Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.	
Section I			
Manufacturer's Name DermaRite Industries		Emergency Telephone Number (973) 569-9000	
Address (Number, Street, City, State and ZIP code) 3 East 26th Street		Telephone Number for Information (973) 569-9000	
Paterson, New Jersey 07513		Date Prepared May 27, 2004	
		Signature of preparer (optional)	
Section II - Hazardous Ingredients/Identity Information			
Hazardous Components (Specific Chemical Identity; Common Name(s)) (optional)		OSHA PEL	ACGIH TLV
		Other Limits Recommended	%
COMPOSITION – CONTAIN: WATER (AQUA), PVP, PROPLYENE GLYCOL,			
QUATERNIUM-15, DISODIUM EDTA, TRIETHANOLAMINE, CITRIC ACID			
Section III - Physical/Chemical Characteristics			
Boiling Point	N/A	Specific Gravity (H ₂ O =1)	.99 –1.010
Vapor Pressure (mm Hg.)		Melting Point	
Vapor Density (AIR =1)		Evaporation Rate (Butyl Acetate =1)	
pH:	5.95 – 6.75	Viscosity:	5 – 15 CPS #1 @ 20 RPM
Solubility in Water Dispersible			
Appearance and Odor			
Section IV - Fire and Explosion Hazard Data			
Flash Point (Method Used) NOT DETERMINED	Flammable Limits	LEL	UEL
Extinguishing Media NON FLAMMABLE, REMOVE MATERIAL FROM AREA IF POSSIBLE. EXTINGUISH USING MEDIA APPROPRIATE FOR FIRE SOURCE.			

Special Firefighting Procedures

Unusual Fire and Explosion Hazards

The information and recommendations in this data sheet are believed to be correct and reliable. However the data is offered for consideration and verification by the user and DermaRite Industries L.L.C. offers no guarantee, warrant or representation as to the accuracy or completeness of the data.

Page 2

 [MSDS Home](#)

(cont. Sting Free)

Section V - Reactivity Data					
Stability	Unstable		Conditions to avoid		
	Stable	X			
Incompatibility (Materials to avoid) NONE					
Hazardous decomposition of byproducts NOT APPLICABLE					
Hazardous Polymerization	May Occur		NOT APPLICABLE		
	Will Not Occur				
Section VI - Health Hazard Data					
Route (s) of Entry: Inhalation: NONE					
Route (s) of Entry Skin: NONE					
Route (s) of Entry Ingestion: FIRST AID – DILUTE WITH WATER. DO NOT INDUCE VOMITING. SEEK MEDICAL ATTENTION. DO NOT GIVE AN UNCONSCIOUS PERSON ANYTHING TO DRINK.					
Route (s) of Eye Contact: FIRST AID – WASH EYES IMMEDIATELY WITH LARGE AMOUNTS OF WATER FOR MINIMUM OF 10 – 20 MINUTES. SEEK MEDICAL ATTENTION.					
Health Hazards (Acute and Chronic) Effects of Exposure					
Carcinogenicity		NTP?	IARC Monographs?	OSHA Regulated?	
NONE					
Signs and symptoms of exposure					
Medical conditions generally aggravated by exposure					
Emergency and first aid procedures SEE ROUTES OF ENTRY					
Section VII - Precautions for Safe Handling and use					
Steps to be taken in case material is released or spilled SPILLS SHOULD BE CONTAINED, ABSORBED AND DISPOSED OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS. SEE PERSONAL PROTECTIVE REQUIREMENTS TO PREVENT EXPOSURE DURING CLEAN UP OF SPILLS.					
Waste disposal method					
Precautions to be taken in handling and storing					
Section VIII - Control Measures					
Respiratory Protection (<i>Specify type</i>) NONE NEEDED					
Ventilation	Local Exhaust		Special		
	Mechanical (<i>general</i>)		Other		
Protective Gloves NOT APPLICABLE			Eye Protection NOT APPLICABLE		

Other Protective Clothing or Equipment
NOT APPLICABLE

Work/Hygienic Practices

Page 1

 [MSDS Home](#)